




# BYIBA

R71-P001

## Backlight



CODE			
P001B006.00. CT	39.37 in	1.45" x 39.57"	1.76 lbs
P001C006.00. CT	78.74 in	1.45" x 78.94"	3.52 lbs
P001D006.00. CT	118.11 in	1.45" x 118.31"	5.29 lbs

### Accessories:

 023.700 linear connection	 023.701 L connection	 023.702 T connection	 023.703 X connection
 023.704 Ceiling/Wall connection	 P001.KIT01 couple of endcaps	 021.712 - 021.713 - 021.733 Strip LED	 029.009.300 Opal Plastic Cover Replacement part

BYIBA Backlight  
991 S Gull Lake Dr  
Richland, MI 49083 USA



g@gordonbullard.com  
www.byiba.com  
269-569-6700

# BYIBA

## Backlight

LED / DRIVERS  
P001-P008



### LED Options

Code	Electrical Part	Power	Lumen Output	CRI	Tension	LED/m	Color Temp
021.712	LED	30W/m	3000 lm/m	85	24V dc	140	3000 K
021.713	LED	20W/m	2000 lm/m	85	24V dc	140	3000 K
021.733	LED	14.5W/m	1300 lm/m	85	24V dc	120	3000 K

BYIBA Backlight  
991 S Gull Lake Dr  
Richland, MI 49083 USA



[g@gordonbullard.com](mailto:g@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
269-569-6700

# BYIBA

## LED / DRIVERS P001-P008

### Backlight

LED Options				Driver Code	026.155	026.175	026.153	026.188	026.189
				Power	19.2W	36W	60W	120W	240W
				Tension	24 V	24 V	24 V	24 V	24 V
021.712.50	50 cm	15W	1500 lm		1	1-2	1-4	4-8	8-16
021.712.100	100 cm	30W	3000 lm			1	1-2	2-4	4-8
021.712.150	150 cm	45W	4500 lm				1	1-2	3-5
021.712.200	200 cm	60W	6000 lm				1	1-2	2-4
021.712.300	300 cm	90W	9000 lm					1	1-2
021.713.50	50 cm	10W	1000 lm		1	1-3	1-6	6-12	12-24
021.713.100	100 cm	20W	2000 lm			1	1-3	3-6	6-12
021.713.150	150 cm	30W	3000 lm			1	1-2	2-4	4-8
021.713.200	200 cm	40W	4000 lm				1	2-3	3-6
021.713.300	300 cm	60W	6000 lm				1	1-2	2-4
021.733.50	50 cm	7.5W	650 lm		1-2	1-4	1-8	8-16	16-32
021.733.100	100 cm	14.5W	1300 lm		1	1-2	1-4	4-8	8-16
021.733.150	150 cm	22W	1950 lm			1	1-2	2-5	6-10
021.733.200	200 cm	29W	2600 lm			1	1-2	2-4	4-8
021.733.300	300 cm	43.5W	3900 lm				1	1-2	2-4

BYIBA Backlight  
991 S Gull Lake Dr  
Richland, MI 49083



[g@gordonbullard.com](mailto:g@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
269-569-6700

# BYIBA

LED / DRIVERS  
P001-P008

## Backlight

LED Options				DIMMER Code	021.219	026.209	026.190 021.188	026.190 026.189
				Power	21.6W	60W	120W	240W
				Tension	24 V	24 V	24 V	24 V
021.712.50	50 cm	15W	1500 lm		1	1-4	4-8	8-16
021.712.100	100 cm	30W	3000 lm			1-2	2-4	4-8
021.712.150	150 cm	45W	4500 lm			1	1-2	3-5
021.712.200	200 cm	60W	6000 lm			1	1-2	2-4
021.712.300	300 cm	90W	9000 lm				1	1-2
021.713.50	50 cm	10W	1000 lm		1-2	1-6	6-12	12-24
021.713.100	100 cm	20W	2000 lm		1	1-3	3-6	6-12
021.713.150	150 cm	30W	3000 lm			1-2	2-4	4-8
021.713.200	200 cm	40W	4000 lm			1	2-3	3-6
021.713.300	300 cm	60W	6000 lm			1	1-2	2-4
021.733.50	50 cm	7.5W	650 lm		1-2	1-8	8-16	16-32
021.733.100	100 cm	14.5W	1300 lm		1	1-4	4-8	8-16
021.733.150	150 cm	22W	1950 lm			1-2	2-5	6-10
021.733.200	200 cm	29W	2600 lm			1-2	2-4	4-8
021.733.300	300 cm	43.5W	3900 lm			1	1-2	2-4

BYIBA Backlight  
991 S Gull Lake Dr  
Richland, MI 49083



g@gordonbullard.com  
www.byiba.com  
269-569-6700

# BYIBA

R71  
Recessed Linear  
Order Sheet

---

## Backlight

EXAMPLE: R71.P002B006.00.CT = Extrusion  
R71.021.712.50 =LED/Length  
R71.026.155 =Driver  
R71.026.219 =Dimmer (optional)

Extrusion Part Number -

P001  
P002  
P003  
P004  
P005

Strip LED Part Number and Length -

021.712.XX  
021.713.XX  
021.733.XX

50cm (.50), 100cm (.100), 150cm (.150), 200cm (.200), 300cm (.300)

Driver Part Number -

026.155  
026.175  
026.153  
026.188  
026.189

Dimmer Part Number (optional) -

026.219  
026.209  
026.190 / 026.188  
026.190 / 026.189

Trim or Trimless -

.37 Trim  
.38 Trimless

---

BYIBA Backlight  
991 S Gull Lake Dr  
Richland, MI 49083 USA



g@gordonbullard.com  
www.byiba.com  
269-569-6700